

























	Standard	Result
 Size	EN ISO 24342	See separate table
 Thickness	EN ISO 24346	3.0 mm
 Wear layer	EN ISO 24340	0.55 mm
Surface treatment		K-Guard+ PU coating
Guarantee ¹	Light industrial Commercial Residential	15 years 15 years Lifetime guarantee
 Bevelled edge		Micro
 Mass per unit area	EN ISO 23997	5187 g/m ²
Standards	EN 649/EN ISO 10582	Pass
 Classification	EN 685/EN ISO 10874 - Light industrial	42: Light industrial general
	EN 685/EN ISO 10874 - Commercial	33: Commercial heavy
	EN 685/EN ISO 10874 - Domestic	23: Domestic heavy
 Reaction to fire	EN 13501-1	B _{fl} -s1
 Staining resistance	EN ISO 26987/EN 423	Excellent
 Light fastness	EN ISO 105-B02	Pass (≥ 7)
 Abrasion resistance	EN 660-2	Group T
	EN ISO 10582	Type 1
 Flexibility	EN ISO 24344	Pass
 Dimensional stability	EN 434/EN ISO 23999	Pass (≤ 0.25%)
 Acoustic impact noise reduction	EN ISO 717-2/EN ISO 140-8	ΔL _w = 4 dB
 Electrical behaviour body voltage	EN 1815	Pass
 Indentation - residual	EN 433/EN ISO 24343-1	Pass (≤ 0.1 mm)
 Castor chair continuous use	EN 425/ISO 4918	Pass
 Thermal resistance	ISO 8302	0.0118 m ² K/W
		Suitable for underfloor heating. Max 27°C
 Slip resistance ²	EN 13893	D5
	DIN 51130	R10
 Light Reflectance Value (LRV)	BS 8493:2008+A1:2010	See separate table
 Adhesive	Karndean Universal	Yes
	Silane	Yes
	Pressure Sensitive	Yes
 Environmental	Indoor Air Comfort	Gold certification; Compliant low emitting VOC emissions.
	Floorscore SCS-EC10.3-2014 v4.0	Indoor air quality certified; Compliant low emitting VOC emissions.
	Environmental Product Declaration	External third-party verified Type III EPD
	NSF/ANSI 332	Sustainability Assessment for Resilient Floor Coverings; Silver certified product
 ISO 14001 / ISO 9001		Manufactured to quality and environment management systems standard
 Recycling		Suitable
 Phthalate free		Yes

¹ Subject to terms. Please see our website.

² Slip resistance is measured on freestanding ex-factory product. Slip resistance can be affected by many factors, including but not limited to: product installation and underlayment, surface contamination, use, wear and how the product is maintained. Textural variation along the surface of the product can affect nominal values.

For more information:
UK: 01386 820104 | ROI: 01 6569887
Email: commercial@karndean.co.uk
Visit: www.karndean.com



Jan 24



EN 14041:2004 (DOP 2020/VG/EN/02)
Notified body 0493
Floor coverings (internal)
ISO 10874 Class 23/33/42
Manufactured to ISO 10082



BS EN 14041:2004 (DOP 2021/UKCA/VG/01)
Approved body 0321
Floor coverings (internal)
ISO 10874 Class 23/33/42
Manufactured to ISO 10582



Product Code	Size		Box Quantity		Slip Resistance DIN 51130	LRV
	mm	inches	m ²	Pieces		
VGW52T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	25
VGW53T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	22
VGW70T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	12
VGW80T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	56
VGW81T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	32
VGW82T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	29
VGW83T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	33
VGW84T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	24
VGW85T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	35
VGW86T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	28
VGW87T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	14
VGW89T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	8
VGW93T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	18
VGW94T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	28
VGW99T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	18
VGW100T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	27
VGW102T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	8
VGW107T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	50
VGW110T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	33
VGW111T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	43
VGW112T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	28
VGW113T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	34
VGW115T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	35
VGW120T	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	38
VGW121T	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	30
VGW122T	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	23
VGW123T	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	12
VGW124T	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	26
VGW125T	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	21
VGW126T	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	39
VGW136T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	28
VGW137T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	44
VGW138T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	16
VGW139T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	39
VGW142T	1219.2 x 177.8	48.0" x 7.0"	3.252	15 Planks	R10	20
VGW8101	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	28
VGW8103	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	30
VGW8104	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	24
VGW8105	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	41
VGW8107	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	19
VGW8110	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	10
VGW8111	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	25
VGW8112	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	18
VGW8115	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	27
VGW8116	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	28
VGW8117	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	37
VGW8237	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	22
VGW8239	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	33
VGW8240	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	26
VGW8241	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	30
VGW8242	1422.4 x 228.6	56.0" x 9.0"	3.252	10 Planks	R10	25
SM-VGW120T	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	38
SM-VGW121T	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	30
SM-VGW122T	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	23
SM-VGW123T	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	12
SM-VGW126T	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	39
SM-VGW8105	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	41
SM-VGW8110	457.2 X 114.3	18.0" X 4.5"	3.345	64 Planks	R10	10
SM-VGW8116	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	28
SM-VGW8117	457.2 X 114.3	18.0" X 4.5"	3.345	64 Planks	R10	37
SM-VGW8237	457.2 X 114.3	18.0" X 4.5"	3.345	64 Planks	R10	22
SM-VGW8239	711.2 x 177.8	28.0" x 7.0"	3.288	26 Planks	R10	33
SM-VGW8240	457.2 X 114.3	18.0" X 4.5"	3.345	64 Planks	R10	26
SM-VGW8241	457.2 X 114.3	18.0" X 4.5"	3.345	64 Planks	R10	30
SM-VGW8242	457.2 X 114.3	18.0" X 4.5"	3.345	64 Planks	R10	25
CS-VGW120T	430.0 x 90.0	16.93" x 3.54"	3.715	96 Planks	R10	38
CS-VGW121T	430.0 x 90.0	16.93" x 3.54"	3.715	96 Planks	R10	30
CS-VGW126T	430.0 x 90.0	16.93" x 3.54"	3.715	96 Planks	R10	39
CM-VGW120T	600.0 x 120.0	23.62" x 4.72"	4.032	56 Planks	R10	38
CM-VGW121T	600.0 x 120.0	23.62" x 4.72"	4.032	56 Planks	R10	30
CM-VGW126T	600.0 x 120.0	23.62" x 4.72"	4.032	56 Planks	R10	39

Wood Designs

Product Code	Size		Box Quantity		Slip Resistance	LRV
	mm	inches	m ²	Pieces	DIN 51130	
VGT2401	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	51
VGT2402	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	22
VGT2403	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	29
VGT2405	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	40
VGT2406	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	16
VGT2410	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	22
VGT2413	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	67
VGT2416	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	21
VGT2417	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	26
VGT2418	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	37
VGT2419	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	15
VGT2420	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	11
VGT2421	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	24
VGT2422	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	26
VGT2423	457.2 x 609.6	18.0" x 24.0"	3.345	12 Tiles	R10	46
VGT3018	457.2 x 914.4	18.0" x 36.0"	3.345	8 Tiles	R10	36
VGT3019	457.2 x 914.4	18.0" x 36.0"	3.345	8 Tiles	R10	30
VGT3020	457.2 x 914.4	18.0" x 36.0"	3.345	8 Tiles	R10	42
VGT3021	457.2 x 914.4	18.0" x 36.0"	3.345	8 Tiles	R10	54
SM-VGT2413	177.8 x 711.2	7.0" x 28.0"	3.288	26 Tiles	R10	67

Stone Designs